CATALIZZATORE: PLHG,

Revision nr. 2

Dated 19/01/2023 Printed on 19/01/2023

Page n. 1/15

Replaced revision:1 (Dated: 09/03/2021)

Safety Data Sheet
According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

CATALIZZATORE: PLHG, Product name UFI: JNK0-S077-V00E-6SGC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Pad printing thardener.

#### 1.3. Details of the supplier of the safety data sheet

COMEC ITALIA SRL Full address Piazzale del lavoro 149 District and Country 21044 Cavaria (VA) ΙΤΔΙ ΙΔ

Tel. +39 0331 219516 Fax +39 0331 216161

e-mail address of the competent person

responsible for the Safety Data Sheet Supplier:

info@comec-italia.it Edgardo Baggini

#### 1.4. Emergency telephone number

For urgent inquiries refer to

CENTRO ANTIVELENI OSPEDALE NIGUARDA MILANO Tel. 02/66101029 (24/24h) -CENTRO ANTIVELENI POLICLINICO A.GEMELL ROMA Tel. 06/3054343 (24/24h) -

#### **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Acute toxicity, category 4 H332 Harmful if inhaled.

Specific target organ toxicity - repeated exposure, category 2 May cause damage to organs through prolonged or repeated H373

exposure.

Serious eye damage, category 1 H318 Causes serious eye damage. Skin sensitization, category 1 H317 May cause an allergic skin reaction.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

# CATALIZZATORE: PLHG,

Revision nr. 2 Dated 19/01/2023

Printed on 19/01/2023

Page n. 2/15

Replaced revision:1 (Dated: 09/03/2021)

#### Hazard pictograms:







Signal words: Danger

#### Hazard statements:

Harmful if inhaled. H332

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

#### Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P280 Wear protective gloves / eye protection / face protection. Immediately call a POISON CENTER or a doctor. P310 P261 Avoid breathing dust, gas or vapours.

P362+P364 Take off contaminated clothing and wash it before reuse.

Contains: Aminoethylamino propyltrimethoxy silane

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

#### **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

#### Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Aminoethylamino propyltrimethoxy silane

Acute Tox. 4 H332, STOT RE 2 H373, Eye Dam. 1 H318, Skin Sens. 1 H317 INDEX - $96 \le x < 100$ 

EC 217-164-6 STA Inhalation vapours: 11 mg/l

CAS 1760-24-3

REACH Reg. 01-2119970215-39-

XXXX

**METHANOL** 

Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 INDEX 603-001-00-X  $0.8 \le x < 0.9$ 

H331, STOT SE 1 H370 EC 200-659-6 STOT SE 2 H371: ≥ 3%

STA Oral: 100 mg/kg, STA Dermal: 300 mg/kg, STA Inhalation vapours: 3 CAS 67-56-1

mg/l, STA Inhalation mists/powders: 0,501 mg/l

# COMEC ITALIA SRL Revision nr. 2 Dated 19/01/2023 Printed on 19/01/2023 Page n. 3/15 Replaced revision:1 (Dated: 09/03/2021)

REACH Reg. 01-2119433307-44xxxx

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.
INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.
INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

#### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

#### 5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

**CATALIZZATORE: PLHG,** 

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 4/15

Replaced revision:1 (Dated: 09/03/2021)

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

#### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ,
		СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 5/15

Replaced revision:1 (Dated: 09/03/2021)

și completarea hotărârii guvernului nr. 1.093/2006

SWE Sverige Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS

TUR Türkiye United Kingdom GBR ΕU OEL EU

Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733 EH40/2005 Workplace exposure limits (Fourth Edition 2020) Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH **ACGIH 2021** 

Aminoethylamino propyltrimethoxy silane			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,062	mg/l	
Normal value in marine water	0,0062	mg/l	
Normal value for fresh water sediment	0,22	mg/kg	
Normal value for marine water sediment	0,022	mg/kg	
Normal value for water, intermittent release	0,62	mg/l	
Normal value of STP microorganisms	25	mg/l	
Normal value for the terrestrial compartment	0,0085	mg/kg	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral				2,5 mg/kg				
				bw/d				
Inhalation	NPI	NPI	VND	8,7 mg/m3	NPI	NPI	VND	35,3 mg/m3
Skin	VND	17 mg/kg bw/d	VND	2,5 mg/kg	VND	5 mg/kg bw/d	VND	5 mg/kg bw/d
				bw/d				

Туре	Country	TWA/8h		STEL/15min		Remarks / Observation	s	
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	260	200			SKIN		
TLV	CZE	250	187,75	1000	751	SKIN		
AGW	DEU	270	200	1080	800	SKIN		
MAK	DEU	130	100	260	200	SKIN		
TLV	DNK	260	200			SKIN	E	
VLA	ESP	266	200			SKIN		
VLEP	FRA	260	200	1300	1000	SKIN	11	
VLEP	ITA	260	200			SKIN		
TGG	NLD	133				SKIN		
VLE	PRT	260	200			SKIN		
NDS/NDSCh	POL	100		300		SKIN		
TLV	ROU	260	200			SKIN		
NGV/KGV	SWE	250	200	350 (C)	250 (C)	SKIN		
ESD	TUR	260	200			SKIN		
WEL	GBR	266	200	333	250	SKIN		
OEL	EU	260	200					
TLV-ACGIH		262	200	328	250	SKIN		

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 6/15

Replaced revision:1 (Dated: 09/03/2021)

Normal value in fresh water	154	mg/l	
Normal value in marine water	15,4	mg/l	
Normal value for fresh water sediment	570,4	mg/kg	
Normal value for water, intermittent release	1540	mg/l	
Normal value of STP microorganisms	100	mg/l	_
Normal value for the terrestrial compartment	23.5	ma/ka	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation	50 mg/m3	50 mg/m3	50 mg/m3	50 mg/m3	260 mg/m3	260 mg/m3	260 mg/m3	260 mg/m3
Skin	VND	8 mg/kg/d	VND	8 mg/kg/d	VND	40 mg/kg/d	VND	40 mg/kg/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

**ENVIRONMENTAL EXPOSURE CONTROLS** 

**CATALIZZATORE: PLHG,** 

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 7/15

Replaced revision:1 (Dated: 09/03/2021)

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

# **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	straw yellow
Odour	amino
Melting point / freezing point	-20 °C
Initial boiling point	259 °C
Flammability	incombustible
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	138 °C
Auto-ignition temperature	> 300 °C
Decomposition temperature	not available
рН	10
Kinematic viscosity	not available
Dynamic viscosity	6 mPass@20°C
Solubility	immiscible
Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	1,03
Relative vapour density	>1

#### 9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 99,50 % - 1.020,11

g/litre

not applicable

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 8/15

Replaced revision:1 (Dated: 09/03/2021)

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Aminoethylamino propyltrimethoxy silane Acute Oral Toxicity: LD 50 rat> 2000 mg / kg Acute dermal toxicity: LD 50 rabbit>2000 mg / kg.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aminoethylamino propyltrimethoxy silane
Irritating to skin: Rabbit, no skin irritation OECD TG 404
Irritating to eyes: Rabbit, highly irritating OECD TG 405
Sensitization: guinea pig, positive. May cause sensitization by skin contact, OECD 429 (LLNA)
Repeated dose toxicity: Oral rat, NOEL >= 500 mg/Kg (28 gg), OECD 422.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

METHANOL

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; contact with the skin of products containing the substance.

# **CATALIZZATORE: PLHG,**

Revision nr. 2 Dated 19/01/2023

Printed on 19/01/2023

Page n. 9/15

Replaced revision:1 (Dated: 09/03/2021)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### METHANOL

The minimum lethal dose for humans by ingestion is considered to be in the range from 300 to 1000 mg/kg. Ingestion of 4-10 ml of the substance may cause permanent blindness in adult humans (IPCS).

Interactive effects

Information not available

#### **ACUTE TOXICITY**

ATE (Inhalation - mists / powders) of the mixture:

ACUTE TOX. 4
ATE (Inhalation - vapours) of the mixture:

ACUTE TOX. 4
ATE (Inhalation - gas) of the mixture:

ACUTE TOX. 4
ATE (Oral) of the mixture:

ACUTE TOX. 4
ATE (Dermal) of the mixture:

>2000 mg/kg
>2000 mg/kg

Aminoethylamino propyltrimethoxy silane

 LD50 (Dermal):
 > 2000 mg/kg Rabbit

 LD50 (Oral):
 2400 mg/kg Rat

 LC50 (Inhalation vapours):
 1,49 mg/l/4h Ratto / Rat

STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

METHANOL

LD50 (Dermal): 11700 mg/kg Coniglio / Rabbit

STA (Dermal): 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): > 1000 mg/kg Ratto / Rat

STA (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

#### RESPIRATORY OR SKIN SENSITISATION

# Revision nr. 2 **COMEC ITALIA SRL** Dated 19/01/2023 CATALIZZATORE: PLHG, Printed on 19/01/2023 Page n. 10/15 Replaced revision:1 (Dated: 09/03/2021) Sensitising for the skin GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class STOT - REPEATED EXPOSURE May cause damage to organs ASPIRATION HAZARD Does not meet the classification criteria for this hazard class 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or

human health effects under evaluation.

contaminate soil or vegetation.

**SECTION 12. Ecological information** 

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 11/15

Replaced revision:1 (Dated: 09/03/2021)

# 12.1. Toxicity

Aminoethylamino propyltrimethoxy silane

Toxicity to algae: CE50, Pseudokirchneriella subcapitata, 8,8 mg/l (96h)

NOEC, Pseudokirchneriella subcapitata, 3,1 mg/l.

Aminoethylamino propyltrimethoxy silane

LC50 - for Fish 597 mg/l/96h Lepomis macrochirus

 EC50 - for Crustacea
 81 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 126 mg/l/72h

 LC10 for Fish
 344 mg/l/96h

**METHANOL** 

LC50 - for Fish 15400 mg/l/96h EC50 - for Crustacea > 10000 mg/l/48h

#### 12.2. Persistence and degradability

Aminoethylamino propyltrimethoxy silane

NOT rapidly degradable

**METHANOL** 

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

#### 12.3. Bioaccumulative potential

**METHANOL** 

Partition coefficient: n-octanol/water -0,77
BCF 0,2

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

# **COMEC ITALIA SRL** Dated 19/01/2023 Printed on 19/01/2023 **CATALIZZATORE: PLHG,** Page n. 12/15 Replaced revision:1 (Dated: 09/03/2021) Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations. **SECTION 14. Transport information** The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations. 14.1. UN number or ID number not applicable 14.2. UN proper shipping name not applicable 14.3. Transport hazard class(es) not applicable 14.4. Packing group not applicable 14.5. Environmental hazards not applicable 14.6. Special precautions for user not applicable

14.7. Maritime transport in bulk according to IMO instruments

# COMEC ITALIA SRL Revision nr. 2 Dated 19/01/2023 Printed on 19/01/2023 Page n. 13/15 Replaced revision:1 (Dated: 09/03/2021)

Information not relevant

#### **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>

Point 3 - 40

Contained substance

Point 69 METHANOL REACH Reg.: 01-2119433307-44-xxxx

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 19/01/2023

Printed on 19/01/2023

Page n. 14/15

Replaced revision:1 (Dated: 09/03/2021)

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Acute Tox. 3 Acute toxicity, category 3

STOT SE 1 Specific target organ toxicity - single exposure, category 1

Acute Tox. 4 Acute toxicity, category 4

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Eye Dam. 1 Serious eye damage, category 1
Skin Sens. 1 Skin sensitization, category 1
H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage.H317 May cause an allergic skin reaction.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- · CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- · IMO: International Maritime Organization
- · INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament

# Revision nr. 2 **COMEC ITALIA SRL** Dated 19/01/2023 Printed on 19/01/2023 CATALIZZATORE: PLHG. Page n. 15/15 Replaced revision:1 (Dated: 09/03/2021) 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation) Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)

13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP)

15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP) 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

The Merck Index. - 10th Edition
 Handling Chemical Safety

INRS - Fiche Toxicologique (toxicological sheet)

Patty - Industrial Hygiene and Toxicology

N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

IFA GESTIS website

ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

For information on any exposure scenarios of the substances present in the mixture, contact Sericom Italia srl.

Changes to previous review:

The following sections were modified:

02 / 03 / 09 / 11 / 12 / 15 / 16.