CATALIZZATORE: PLHG,

Dated 30/01/2025

Printed on 30/01/2025

Page n. 1/16

Replaced revision:1 (Dated: 19/02/2024)

# Safety Data Sheet According to Annex II to REACH - Regulation (EU) 2020/878

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

CATALIZZATORE: PLHG, Product name UFI: 4253-X0PF-6006-2JH1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Pad printing hardener. Intended use

#### 1.3. Details of the supplier of the safety data sheet

**COMEC ITALIA SRL** Full address Piazzale del lavoro 149 District and Country 21044 Cavaria (VA) **ITALIA** 

> Tel. +39 0331 219516 Fax +39 0331 216161

e-mail address of the competent person

responsible for the Safety Data Sheet info@comec-italia.it Supplier: Edgardo Baggini

# 1.4. Emergency telephone number

For urgent inquiries refer to Centro Antiveleni di Milano 02 66101029

(Niguarda Ca Granda - Milano) Centro Antiveleni di Pavia 0382 24444 (Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300

(Papa Giovanni XXIII - Bergamo) Centro Antiveleni di Verona 800 011858

(AOUI - Verona)

Centro Antiveleni di Firenze 055 7947819

(Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343

(Agostino Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000

(Umberto I - Roma)

Centro Antiveleni di Roma 06 68593726 (Ospedale pediatrico Bambino Gesu - Roma) Centro Antiveleni di Napoli 081 5453333

(Antonio Cardarelli - Napoli)

Centro Antiveleni di Foggia 800 183459 (Azienda ospedaliera universitaria - Foggia)

#### **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 2/16

Replaced revision:1 (Dated: 19/02/2024)

supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Acute toxicity, category 4 H332 Harmful if inhaled.

Specific target organ toxicity - repeated exposure, category 2 H373 May cause damage to organs through prolonged or repeated

exposure.

Serious eye damage, category 1 H318 Causes serious eye damage. Skin sensitization, category 1 H317 May cause an allergic skin reaction.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:







Signal words: Danger

Hazard statements:

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage.

**H317** May cause an allergic skin reaction.

Precautionary

statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

**P280** Wear protective gloves / eye protection / face protection.

P310 Immediately call a POISON CENTER or a doctor.

**P261** Avoid breathing dust, gas or vapours.

P362+P364 Take off contaminated clothing and wash it before reuse.

Contains: Aminoethylamino propyltrimethoxy silane

METHANOL

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

# COMEC ITALIA SRL Revision nr. 2 Dated 30/01/2025 Printed on 30/01/2025 Page n. 3/16 Replaced revision:1 (Dated: 19/02/2024)

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

# **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Aminoethylamino propyltrimethoxy silane

INDEX - 96 ≤ x < 100

Acute Tox. 4 H332, STOT RE 2 H373, Eye Dam. 1 H318, Skin Sens. 1 H317

EC 217-164-6 ATE Inhalation vapours: 11 mg/l

CAS 1760-24-3

REACH Reg. 01-2119970215-39-

XXXX

**METHANOL** 

INDEX 603-001-00-X 0,8 ≤ x < 0,9 Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3

H331, STOT SE 1 H370 EC 200-659-6 STOT SE 2 H371: ≥ 3% - < 10%

CAS 67-56-1 ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, ATE Inhalation vapours: 3

mg/l

REACH Reg. 01-2119433307-44-

XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

### Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

# COMEC ITALIA SRL Revision nr. 2 Dated 30/01/2025 Printed on 30/01/2025 Page n. 4/16 Replaced revision:1 (Dated: 19/02/2024)

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER or a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

# 5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

COMEC ITALIA SRL	Revision nr. 2
	Dated 30/01/2025
CATALIZZATORE: PLHG,	Printed on 30/01/2025
57 117 1 <u> </u>	Page n. 5/16
	Replaced revision:1 (Dated: 19/02/2024)

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory references:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	NAŘÍZENÍ VLÁDY ze dne 10. května 2021, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	Forschungsgemeinschaft MAK- und BAT-Werte-Liste 2022 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe Mitteilung 58
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2023
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
TUR	Türkiye	Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733; 20.10.2023 / 32345.
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;
		Directive (EU) 2017/2398: Directive (EU) 2017/164: Directive 2009/161/EU: Directive 2006/15/EC: Directive

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

CATALIZZATORE: PLHG,

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 6/16

Replaced revision:1 (Dated: 19/02/2024)

TLV-/	ACGIH		ACGIH 2023						
Aminoethylamino	propyltrin	nethoxy silane							
Predicted no-effect cor	centration -	- PNEC							
Normal value in fresh v	vater				0,062	mg	/I		
Normal value in marine	water				0,0062	mg	/I		
Normal value for fresh	water sedin	nent			0,22	mg	/kg		
Normal value for marin	e water sed	liment			0,022	mg	/kg		
Normal value for water	, intermitten	it release			0,62	mg	/I		
Normal value of STP n	nicroorganis	ms			25	mg	/I		
Normal value for the te	rrestrial con	npartment			0,0085	mg	/kg		
Health - Derived no	o-effect le	vel - DNEL / DN Effects on consumers	1EL			Effects on workers			
Route of exposure		Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral					2,5 mg/kg bw/d		Systemic		Systemic
Inhalation		NPI	NPI	VND	8,7 mg/m3	NPI	NPI	VND	35,3 mg/m3
Skin		VND	17 mg/kg bw/d	VND	2,5 mg/kg bw/d	VND	5 mg/kg bw/d	VND	5 mg/kg bw/d
Threshold Limit Va	alue								
Туре	Country	TWA/8h	1		STEL/15min		Remarks / Observation	ins	
		mg/m3		ppm	mg/m3	ppm			
TLV	BGR	260		200			SKIN		
TLV	CZE	250		187,75	1000	751	SKIN		
AGW	DEU	130		100	260	200	SKIN		
MAK	DEU	130		100	260	200	SKIN		
TLV	DNK	260		200			SKIN	E	
VLA	ESP	266		200			SKIN		
VLEP	FRA	260		200	1300	1000	SKIN	11	
AK	HUN	260		200			SKIN		
VLEP	ITA	260		200			SKIN		
TGG	NLD	133					SKIN		
VLE	PRT	260		200			SKIN		
NDS/NDSCh	POL	100			300		SKIN		
TLV	ROU	260		200			SKIN		
NGV/KGV	SWE	250		200	350 (C)	250 (C)	SKIN		
ESD	TUD	260		200			CIZINI		

NGV/KGV	SWE	250	200	350 (C)	250 (C)	SKIN	
ESD	TUR	260	200			SKIN	
WEL	GBR	266	200	333	250	SKIN	
OEL	EU	260	200				
TLV-ACGIH		262	200	328	250	SKIN	
Predicted no-effect	ct concentration - PN	EC					
Normal value in fr	esh water			154	mg/l		
Normal value in m	arine water			15,4	mg/l		
Name of value for f	resh water sediment			570,4	mg/kg		

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 7/16

Replaced revision:1 (Dated: 19/02/2024)

Normal value for water, intermittent release	1540	mg/l	
Normal value of STP microorganisms	100	mg/l	
Normal value for the terrestrial compartment	23,5	mg/kg	

Health - Derived no-effect level - DNEL / DMEL									
	Effects on				Effects on				
	consumers				workers				
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic	
				systemic		systemic		systemic	
Inhalation	50 mg/m3	50 mg/m3	50 mg/m3	50 mg/m3	260 mg/m3	260 mg/m3	260 mg/m3	260 mg/m3	
Skin	VND	8 mg/kg/d	VND	8 mg/kg/d	VND	40 mg/kg/d	VND	40 mg/kg/d	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

#### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

#### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387)

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

**CATALIZZATORE: PLHG,** 

Information

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 8/16

Replaced revision:1 (Dated: 19/02/2024)

# **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Value Appearance liquid Colour straw yellow Odour amino -20 °C Melting point / freezing point 259 °C Initial boiling point Flammability incombustible Lower explosive limit not available Upper explosive limit not available Flash point 138 °C Auto-ignition temperature > 300 °C not available Decomposition temperature

oH 10

Kinematic viscosity not available

Dynamic viscosity 6 mPass@20°C

Solubility immiscible

Partition coefficient: n-octanol/water not available

Vapour pressure not available

Density and/or relative density 1,03

Relative vapour density >1

Particle characteristics not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

# CATALIZZATORE: PLHG,

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 9/16

Replaced revision:1 (Dated: 19/02/2024)

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Aminoethylamino propyltrimethoxy silane Acute Oral Toxicity: LD 50 rat> 2000 mg / kg Acute dermal toxicity: LD 50 rabbit>2000 mg / kg.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aminoethylamino propyltrimethoxy silane

Irritating to skin: Rabbit, no skin irritation OECD TG 404

Irritating to eyes: Rabbit, highly irritating OECD TG 405

Sensitization: guinea pig, positive. May cause sensitization by skin contact, OECD 429 (LLNA) Repeated dose toxicity: Oral rat, NOEL >= 500 mg/Kg (28 gg), OECD 422.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

METHANOL

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; contact with the skin of products containing the substance.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### METHANOL

The minimum lethal dose for humans by ingestion is considered to be in the range from 300 to 1000 mg/kg. Ingestion of 4-10 ml of the substance may cause permanent blindness in adult humans (IPCS).

Interactive effects

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 10/16

Replaced revision:1 (Dated: 19/02/2024)

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: 10,65 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

Aminoethylamino propyltrimethoxy silane

 LD50 (Dermal):
 > 2000 mg/kg Rabbit

 LD50 (Oral):
 2400 mg/kg Rat

 LC50 (Inhalation vapours):
 1,49 mg/l/4h Ratto / Rat

ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

METHANOL

ATE (Oral):

ATE (Dermal): 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation vapours): > 87,6 mg/l/4h Rat

ATE (Inhalation vapours): 3 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

# RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

# CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

# STOT - REPEATED EXPOSURE

May cause damage to organs

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 11/16

Replaced revision:1 (Dated: 19/02/2024)

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Aminoethylamino propyltrimethoxy silane

Toxicity to algae: CE50, Pseudokirchneriella subcapitata, 8,8 mg/l (96h)

NOEC, Pseudokirchneriella subcapitata, 3,1 mg/l.

Aminoethylamino propyltrimethoxy silane

LC50 - for Fish 597 mg/l/96h Lepomis macrochirus

 EC50 - for Crustacea
 81 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 126 mg/l/72h

 LC10 for Fish
 344 mg/l/96h

**METHANOL** 

LC50 - for Fish 15400 mg/l/96h
EC50 - for Crustacea > 10000 mg/l/48h

#### 12.2. Persistence and degradability

Aminoethylamino propyltrimethoxy silane

NOT rapidly degradable

**METHANOL** 

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

#### 12.3. Bioaccumulative potential

**METHANOL** 

Partition coefficient: n-octanol/water -0,77 BCF 0,2

# 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

# Revision nr. 2 **COMEC ITALIA SRL** Dated 30/01/2025 Printed on 30/01/2025 CATALIZZATORE: PLHG, Page n. 12/16 Replaced revision:1 (Dated: 19/02/2024)

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.
CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.
SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
not applicable
Ad 2 Transport has and place (as)
14.3. Transport hazard class(es)
not applicable
14.4. Packing group
not applicable

COMEC ITALIA SRL	Revision nr. 2  Dated 30/01/2025
CATALIZZATORE: PLHG,	Printed on 30/01/2025
	Page n. 13/16  Replaced revision:1 (Dated: 19/02/2024)
14.5. Environmental hazards	
not applicable	
14.6. Special precautions for user	
not applicable	
14.7. Maritime transport in bulk according to IMO instruments	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
<u>Product</u>	
Point 3 - 40	
Contained substance	
Point 69 METHANOL REACH Reg.: 01- 2119433307-44-xxxx	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	
None	
Substances subject to the Rotterdam Convention:	

# **CATALIZZATORE: PLHG,**

Revision nr. 2

Dated 30/01/2025

Printed on 30/01/2025

Page n. 14/16

Replaced revision:1 (Dated: 19/02/2024)

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Acute Tox. 3 Acute toxicity, category 3

STOT SE 1 Specific target organ toxicity - single exposure, category 1

Acute Tox. 4 Acute toxicity, category 4

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Eye Dam. 1 Serious eye damage, category 1
Skin Sens. 1 Skin sensitization, category 1

STOT SE 2 Specific target organ toxicity - single exposure, category 2

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H371 May cause damage to organs.

#### LEGEND

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- · IC50: Immobilization Concentration 50%

# Revision nr. 2 **COMEC ITALIA SRL** Dated 30/01/2025 Printed on 30/01/2025 CATALIZZATORE: PLHG, Page n. 15/16 Replaced revision:1 (Dated: 19/02/2024) IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% OEL: Occupational Exposure Level PBT: Persistent, bioaccumulative and toxic PEC: Predicted environmental Concentration PEL: Predicted exposure level PMT: Persistent, mobile and toxic PNEC: Predicted no effect concentration REACH: Regulation (EC) 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA: Time-weighted average exposure limit TWA STEL: Short-term exposure limit VOC: Volatile organic Compounds vPvB: Very persistent and very bioaccumulative vPvM: Very persistent and very mobile WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP) 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety

COMEC ITALIA SRL	Revision nr. 2
	Dated 30/01/2025  Printed on 30/01/2025
CATALIZZATORE: PLHG,	Page n. 16/16
	Replaced revision:1 (Dated: 19/02/2024)
aws and regulations. The producer is relieved from any liability arising from improper uses.  Provide appointed staff with adequate training on how to use chemical products.  CALCULATION METHODS FOR CLASSIFICATION  Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulate themical-physical properties are reported in section 9.  Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part  For information on any exposure scenarios of the substances present in the mixture, contact Sericom Italia	ss determined otherwise in Section 11. 4, unless determined otherwise in Section 12.
of information on any exposure scenarios of the substances present in the mixture, contact sencom italia	SII.
Changes to previous review: The following sections were modified: 102 / 03 / 04 / 08 / 11 / 13 / 15 / 16.	