COMEC ITALIA SRL Dated 28/02/2024 Printed on 06/03/2024 **DILUENTE: PLD,** Page n. 1/13 Replaced revision:3 (Dated: 19/01/2023)

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DILUENTE: PLD, Product name Chemical name and synonym Screen printing thinner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Pad printing thinner. Intended use

1.3. Details of the supplier of the safety data sheet

COMEC ITALIA SRL Name Piazzale del lavoro 149 Full address District and Country 21044 Cavaria (VA)

ITALIA

Tel. +39 0331 219516 Fax +39 0331 216161

e-mail address of the competent person

responsible for the Safety Data Sheet info@comec-italia.it Supplier: Edgardo Baggini

1.4. Emergency telephone number

For urgent inquiries refer to Centro Antiveleni di Milano 02 66101029

(Niguarda Ca Granda - Milano) Centro Antiveleni di Pavia 0382 24444

(Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300 (Papa Giovanni XXIII - Bergamo) Centro Antiveleni di Verona 800 011858 (AOUI - Verona)

Centro Antiveleni di Firenze 055 7947819

(Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343

(Agostino Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000

(Umberto I - Roma)

Centro Antiveleni di Roma 06 68593726 (Ospedale pediatrico Bambino Gesu - Roma) Centro Antiveleni di Napoli 081 5453333

(Antonio Cardarelli - Napoli)

Centro Antiveleni di Foggia 800 183459 (Azienda ospedaliera universitaria - Foggia)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

Revision nr. 4
Dated 28/02/2024
Printed on 06/03/2024
Page n. 2/13
Replaced revision:3 (Dated: 19/01/2023)

2.2. Label elements

Hazard pictograms:

azara piotogramo.

Hazard statements:

Signal words:

--

Precautionary statements:

--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

COMEC ITALIA SRL	Revision nr. 4
	Dated 28/02/2024
DILUENTE: PLD,	Printed on 06/03/2024
	Page n. 3/13
	Replaced revision:3 (Dated: 19/01/2023)

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

COMEC ITALIA SRL Revision nr. 4 Dated 28/02/2024 Printed on 06/03/2024 Page n. 4/13 Replaced revision:3 (Dated: 19/01/2023)

8.1. Control parameters

Regulatory References:

DEU Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Arbeitsstoffe, Mitteilung 56

SWE Sverige Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS

2018:1)

DIETHYLENE GLYCOL MONOETHYL ETHER Threshold Limit Value TWA/8h Country STEL/15min Remarks / Type Observations mg/m3 ppm mg/m3 ppm AGW DEU 35 6 70 12 11 NGV/KGV SWE 80 15 170 (C) 30 (C) SKIN Predicted no-effect concentration - PNEC 1 98 Normal value in fresh water mg/l 0,198 Normal value in marine water mg/l Normal value for fresh water sediment 7.32 mg/kg/d Normal value for marine water sediment 0,732 mg/kg/d Normal value of STP microorganisms 500 mg/l Normal value for the food chain (secondary poisoning) 444 mg/kg Normal value for the terrestrial compartment 0.34 mg/kg/d Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Chronic systemic systemic systemic Oral 50 mg/kg bw/d Inhalation 18 mg/m3 37 mg/m3 30 mg/m3 61 mg/m3 Skin 25 mg/kg 83 mg/kg bw/d bw/d DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE, REACTION MASS Predicted no-effect concentration - PNEC Normal value in fresh water 0,018 ma/l Normal value in marine water 0,002 mg/l Normal value for fresh water sediment 0.16 mg/kg/d Normal value for marine water sediment 0,016 mg/kg/d Normal value for water, intermittent release 0,18 mg/l Normal value of STP microorganisms 10 mg/l Normal value for the terrestrial compartment 0,09 mg/kg/d Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Chronic systemic systemic systemic 8,3 mg/m3 Inhalation 5 mg/m3 VND VND

Legend:

COMEC ITALIA SRL Dated 28/02/2024 Printed on 06/03/2024 Page n. 5/13

Replaced revision:3 (Dated: 19/01/2023)

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	colourless	
Odour	typical of solvent	
Melting point / freezing point	not available	
Initial boiling point	> 140 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	not available	
Kinematic viscosity	not available	

COMEC ITALIA SRL

DILUENTE: PLD,

Revision nr. 4

Dated 28/02/2024

Printed on 06/03/2024

Page n. 6/13

Replaced revision:3 (Dated: 19/01/2023)

Solubility not available
Partition coefficient: n-octanol/water not available
Vapour pressure not available

Density and/or relative density 1,02

Relative vapour density not available
Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 100,00 % - 1.018,01

yOC (volatile carbon) g/litre 0

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

DIETHYLENE GLYCOL MONOETHYL ETHER

Forms explosive mixtures with: air.May react dangerously with: oxidising agents,aluminium.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

Revision nr. 4 **COMEC ITALIA SRL** Dated 28/02/2024 Printed on 06/03/2024 **DILUENTE: PLD,** Page n. 7/13 Replaced revision:3 (Dated: 19/01/2023) According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices. 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available **ACUTE TOXICITY** ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) Not classified (no significant component) ATE (Dermal) of the mixture: DIETHYLENE GLYCOL MONOETHYL ETHER LD50 (Dermal): 9143 mg/kg Coniglio / Rabbit 6031 mg/kg Topo / Mouse LD50 (Oral): LC50 (Inhalation vapours): 0,02 mg/l/8h Ratto / Rat DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE, REACTION MASS LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): > 5000 mg/kg Rat LC50 (Inhalation vapours): > 11 mg/l Rat (4h) SKIN CORROSION / IRRITATION

COMEC ITALIA SRL	Revision nr. 4
	Dated 28/02/2024
DILLIENTE: DI D	Printed on 06/03/2024
DILUENTE: PLD,	Page n. 8/13
	Replaced revision:3 (Dated: 19/01/2023)
	1
Does not meet the classification criteria for this hazard class	
SERIOUS EYE DAMAGE / IRRITATION	
Does not meet the classification criteria for this hazard class	
RESPIRATORY OR SKIN SENSITISATION	
Does not meet the classification criteria for this hazard class	
GERM CELL MUTAGENICITY	
Does not meet the classification criteria for this hazard class	
CARCINOGENICITY	
Does not meet the classification criteria for this hazard class	
REPRODUCTIVE TOXICITY	
Does not meet the classification criteria for this hazard class	
STOT - SINGLE EXPOSURE	
Does not meet the classification criteria for this hazard class	
STOT - REPEATED EXPOSURE	
Does not meet the classification criteria for this hazard class	
ASPIRATION HAZARD	
Does not meet the classification criteria for this hazard class	
11.2. Information on other hazards	

COMEC ITALIA SRL | Revision nr. 4 | | Dated 28/02/2024 | | Printed on 06/03/2024 | | Page n. 9/13 | | Replaced revision:3 (Dated: 19/01/2023)

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DIETHYLENE GLYCOL MONOETHYL

ETHER

LC50 - for Fish 6010 mg/l/96h Pesce OECD 203

EC50 - for Crustacea 1982 mg/l/48h Daphnia magna OECD 202

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

LC50 - for Fish 0,018 mg/l/96h 0,018 - 0,024 / (Pimephales promelas) (72h)

EC50 - for Crustacea 0,112 mg/l/48h 0,112 - 0,15/Daphnia Magna
EC50 - for Algae / Aquatic Plants > 85 mg/l/72h Pseudokirchneriella subcapitata

12.2. Persistence and degradability

DIETHYLENE GLYCOL MONOETHYL

ETHER

Solubility in water 1000 g/l Completamente solubile

Rapidly degradable

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

Solubility in water 30000 mg/l 26000 - 40500 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

DIETHYLENE GLYCOL MONOETHYL

ETHER

Partition coefficient: n-octanol/water -0,54 misurato

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

Partition coefficient: n-octanol/water 1,4

12.4. Mobility in soil

DIETHYLENE GLYCOL MONOETHYL

ETHER

Partition coefficient: soil/water 20 stimato

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

COMEC ITALIA SRL	Revision nr. 4
	Dated 28/02/2024
DILUENTE: PLD,	Printed on 06/03/2024
,	Page n. 10/13
	Replaced revision:3 (Dated: 19/01/2023)
	1

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
not applicable
14.3. Transport hazard class(es)
not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

COMEC ITALIA SRL	Revision nr. 4 Dated 28/02/2024
DILUENTE: PLD,	Printed on 06/03/2024
DIEGERTE, TED,	Page n. 11/13
	Replaced revision:3 (Dated: 19/01/2023)
not applicable	
14.6. Special precautions for user	
not applicable	
14.7. Maritime transport in bulk according to IMO instruments	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
None	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	
None	
Healthcare controls	

COMEC ITALIA SRL Dated 28/02/2024 Printed on 06/03/2024 **DILUENTE: PLD,** Page n. 12/13 Replaced revision:3 (Dated: 19/01/2023)

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

I EGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

COMEC ITALIA SRL Revision nr. 4 Dated 28/02/2024 Printed on 06/03/2024 Page n. 13/13 Replaced revision:3 (Dated: 19/01/2023)

- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- FCHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

For information on any exposure scenarios of the substances present in the mixture, contact Sericom Italia srl.

Changes to previous review:

The following sections were modified:

09.