COMEC ITALIA SRL	Revision nr. 6 Dated 29/05/2024
A METALLIZZATA: PASTA 75,	Printed on 30/05/2024 Page n. 1/16 Replaced revision:5 (Dated: 30/01/2023)
Safety Data Sheet ding to Annex II to REACH - Regulation 2020/878 and to Anne	ex II to UK REACH
of the substance/mixture and of the comp	any/undertaking
PASTA METALLIZZATA: PASTA 75, 59G2-F0ND-200E-0XGE	
substance or mixture and uses advised against ized paste.	
fety data sheet COMEC ITALIA SRL Piazzale del lavoro 149 21044 Cavaria (VA) ITALIA	
Tel. +39 0331 219516 Fax +39 0331 216161	
on	
info@comec-italia.it Edgardo Baggini	
Centro Antiveleni di Milano 02 66101029 (Niguarda Ca Granda - Milano) Centro Antiveleni di Pavia 0382 24444 (Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (Papa Giovanni XXIII - Bergamo) Centro Antiveleni di Verona 800 011858 (AOUI - Verona) Centro Antiveleni di Firenze 055 7947819 (Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (Agostino Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (Umberto I - Roma) Centro Antiveleni di Roma 06 68593726 (Ospedale pediatrico Bambino Gesu - Ror Centro Antiveleni di Napoli 081 5453333 (Antonio Cardarelli - Napoli) Centro Antiveleni di Foggia 800 183459	
1	A METALLIZZATA: PASTA 75, Safety Data Sheet ding to Annex II to REACH - Regulation 2020/878 and to Annex of the substance/mixture and of the comp PASTA METALLIZZATA: PASTA 75, 59G2-F0ND-200E-0XGE substance or mixture and uses advised against zed paste. fety data sheet COMEC ITALIA SRL Piazzale del lavoro 149 21044 Cavaria (VA) ITALIA Tel. +39 0331 219516 Fax +39 0331 216161 on info@comec-italia.it Edgardo Baggini Centro Antiveleni di Milano 02 66101029 (Niguarda Ca Granda - Milano) Centro Antiveleni di Bergamo 800 883300 (Papa Giovanni XXIII - Bergamo) Centro Antiveleni di Bergamo 800 883300 (Papa Giovanni XXIII - Bergamo) Centro Antiveleni di Prenze 055 7947819 (Careggi - Firenze) Centro Antiveleni di Roma 06 49978000 (Umberto I - Roma) Centro Antiveleni di Roma 06 49978000 (Umberto I - Roma) Centro Antiveleni di Roma 06 49978000 (Umberto I - Roma)

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 2/16

Replaced revision:5 (Dated: 30/01/2023)

supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.


1302
1319
1400
1410

Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Hazard statements:

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

P273	Avoid release to the environment.
P391	Collect spillage.
P280	Wear eye protection / face protection.
P337+P313	If eye irritation persists: Get medical advice / attention.
P264	Wash the hands thoroughly after handling.

COPPER

Contains:

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 3/16

Replaced revision:5 (Dated: 30/01/2023)

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
COPPER		
INDEX -	58 ≤ x < 62	Acute Tox. 4 H302, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1
EC 231-159-6		STA Oral: 500 mg/kg
CAS 7440-50-8		
REACH Reg. 01-2119480154-42		
ZINC POWDER - ZINC DUST		
INDEX 030-001-01-9	23,5 ≤ x < 25	Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10
EC 231-175-3		
CAS 7440-66-6		
REACH Reg. 01-2119467174-37		
HYDROCARBONS, C10-C13, n- alkanes, isoalkanes, CYCLIC, <2% AROMATIC		
INDEX -	13,5 ≤ x < 15	Asp. Tox. 1 H304, EUH066, Classification note according to Annex VI to the CLP Regulation: P
EC 918-481-9		
CAS -		
REACH Reg. 01-2119457273-39- xxxx		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 4/16

Replaced revision:5 (Dated: 30/01/2023)

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

Suitable extinguishing media: Dry sand, special powder against metal fire. Unsuitable extinguishing agents: ABC powder, Carbon dioxide (CO2), Water, Foam.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 5/16

Replaced revision:5 (Dated: 30/01/2023)

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари
		2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
	e conta ricipatinta	stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.
		MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher
		Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste
		lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie
		w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w
		środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea si completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS
0.112	erenge	
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OELEU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;
-		Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

COPPER

Туре	Country	TWA/8h		STEL/15min		Remarks / Observation	s
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	0,1					
TLV	CZE	1		2		INHAL	
MAK	DEU	0,01		0,02			
MAK	DEU	0,01		0,02		RESP	
TLV	DNK	1					
VLA	ESP	0,01				RESP	Como Cu
VLEP	FRA	0,2					
TGG	NLD	0,1				INHAL	
NDS/NDSCh	POL	0,2					
TLV	ROU			0,2			Fumuri

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 6/16

Replaced revision:5 (Dated: 30/01/2023)

NGV/KGV	SWE	0,01				RESP		
WEL	GBR	0,2					As Cu	
TLV-ACGIH		0,2						
Predicted no-effect concentration	- PNEC							
Normal value in fresh water				0,0078	mg	g/l		
Normal value in marine water				0,0052	mg	g/I		
Normal value for fresh water sed	iment			87	mç	g/kg		
Normal value for marine water se	ediment			676	mç	g/kg		
Normal value of STP microorgan	isms			0,23	mç	g/l		
Normal value for the terrestrial co	ompartment			65,5	mç	g/kg		
Health - Derived no-effect I	Effects on	DMEL			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic	workers Acute local	Acute	Chronic local	Chronic
Inhalation	VND	20 mg/m3		systemic	VND	systemic 20 mg/m3		systemic
Skin	VND	273 mg/kg			VND	273 mg/kg	VND	137 mg/kg
ZINC POWDER - ZINC DUS	т							
Threshold Limit Value Type	Country	TWA/8h		STEL/15min		Remarks		
		mg/m3	ppm	mg/m3	ppm	Observati	ions	
МАК	DEU	2	P.L	4	4411	INHAL		
MAK	DEU	0,1		0,4		RESP		
Predicted no-effect concentration		0,1						
Normal value in fresh water	20			0,0206	mç	n/l		
Normal value in marine water				0,0061	mg			
Normal value for fresh water sed	iment			117,8		j/kg		
Normal value for marine water se				56,5		g/kg		
Normal value of STP microorgan				0,052	mg			
Normal value for the terrestrial co				35,6		g/kg		
Health - Derived no-effect I	•	MEI			Ξ	9° ''3		
Served no-enect	Effects on				Effects on			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	workers Acute local	Acute	Chronic local	Chronic
Oral			VND	systemic 0,83 mg/kg		systemic		systemic
Inhalation			VND	2,5 mg/m3			VND	5 mg/m3
Skin			VND	83 mg/kg			VND	83 mg/kg
HYDROCARBONS, C10-C1 Threshold Limit Value	3, n-alkanes, i	soalkanes, CYCL	.IC, <2% ARON	IATIC				
Туре	Country	TWA/8h		STEL/15min		Remarks		
		mg/m3	ppm	mg/m3	ppm	Observati	ions	
VLEP	FRA	275	50	550	100	SKIN		
VLEP	ITA	275	50	550	100	SKIN		
WEL	GBR	274	50	548	100	SKIN		

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 7/16

							Replaced revision:5 (Dat	ted: 30/01/2023)
TLV-ACGIH		1200	184					
Health - Derived no-effect	level - DNFL / D		101					
Health - Derived no-enect	Effects on				Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic systemic	workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				300 mg/kg/d		Systemic		Systemic
Inhalation				900 mg/m3				
Skin				300 mg/kg/d				300 mg/kg/d
Legend:								
(C) = CEILING ; INHAL = Ir	halable Fraction	; RESP = Res	pirable Fractior	1 ; THORA =	Thoracic Frac	tion.		
VND = hazard identified but n medium hazard ; HIGH = hi		vailable ; NEA	= no exposure	expected ; N	IPI = no hazar	d identifie	d ; LOW = low h	azard ; MED =
8.2. Exposure controls								
As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.								
Provide an emergency showe	r with face and e	e wash station.						
HAND PROTECTION Protect hands with category III work gloves (see standard EN 374). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.								
SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.								
EYE PROTECTION Wear airtight protective goggle	es (see standard	EN 166).						
In the presence of risks of ex absorption.	posure to splash	es or squirts duri	ng work, adequ	uate mouth, no	se and eye pr	otection sl	nould be used to p	revent accidental
RESPIRATORY PROTECTIO If the threshold value (e.g. TI whose class (1, 2 or 3) must various kinds and/or gases or Respiratory protection device values considered. The protect If the substance considered is open-circuit compressed air to standard EN 138). For a correct	LV-TWA) is exce be chosen acco vapours containi s must be used ction provided by s odourless or its preathing appara	rding to the limit ng particulate (ac if the technical r masks is in any o s olfactory thresh tus (in compliand	of use concent erosol sprays, fu neasures adop case limited. hold is higher th ce with standar	tration. (see sta umes, mists, et ted are not sui nan the corres d EN 137) or d	andard EN 14 c.) combined f itable for restr ponding TLV-T external air-int	387). In th ilters are r icting the FWA and	ne presence of gas equired. worker's exposure in the case of an e	to the threshold emergency, wear
ENVIRONMENTAL EXPOSUI The emissions generated by r environmental standards.		ocesses, includin	g those generat	ted by ventilatio	on equipment,	should be	checked to ensure	compliance with

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 8/16

Replaced revision:5 (Dated: 30/01/2023)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	pasty	
Colour	silver	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	not available	
Kinematic viscosity	>20,5 mm2/sec (40°C)	
Solubility	insoluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	0,06 hPa	
Density and/or relative density	0,35 g/cm3	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 9/16

Replaced revision:5 (Dated: 30/01/2023)

No hazardous reactions are foreseeable in normal conditions of use and storage.

ZINC POWDER - ZINC DUST

Risk of explosion on contact with: ammonium nitrate,ammonium sulphide,barium peroxide,lead nitride,chlorates,chromium trioxide,sodium hydroxide,oxidising agents,performic acid,acids,tetrachloromethane,water.May react dangerously with: alkaline hydroxides,bromine pentafluoride,calcium chloride,fluorine,hexachloroethane,nitrobenzene,potassium dioxide,carbon disulphide,silver.Reacts with: strong acids,strong alkalis.May develop: hydrogen.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

ZINC POWDER - ZINC DUST

Incompatible with: water,acids,strong alkalis.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

COMEC ITA	LIA SRL	Revision nr. 6 Dated 29/05/2024
PASTA METALLIZZ	Printed on 30/05/2024 Page n. 10/16 Replaced revision:5 (Dated: 30/01/2023)	
nteractive effects		
nformation not available		
<u>CUTE TOXICITY</u>		
ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) 806,45 mg/kg Not classified (no significant component)	
COPPER		
STA (Oral):	500 mg/kg estimate from table 3.1.2 of Anne (figure used for calculation of the acute toxic	ex I of the CLP ity estimate of the mixture)
INC POWDER - ZINC DUST		
LD50 (Oral): LC50 (Inhalation mists/powders):	> 2000 mg/kg Ratto / Rat 5,41 mg/l/4h Ratto / Rat (4h)	
YDROCARBONS, C10-C13, n-alkanes, isoalkanes, CYCLIC	C, <2% AROMATIC	
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):	> 2000 mg/kg bw Rat > 5000 mg/kg bw Rat > 5000 mg/m3 8h Rat	
KIN CORROSION / IRRITATION		
Repeated exposure may cause skin dryness or cracking.		
SERIOUS EYE DAMAGE / IRRITATION		
Causes serious eye irritation		
RESPIRATORY OR SKIN SENSITISATION		
oes not meet the classification criteria for this hazard class		
SERM CELL MUTAGENICITY		
oes not meet the classification criteria for this hazard class		

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 11/16 Replaced revision:5 (Dated: 30/01/2023)

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm2/sec (40°C)

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity**

HYDROCARBONS, C10-C13, n-alkanes, isoalkanes, CYCLIC, <2% AROMATIC LC50 - for Fish	> 1000 mg/l/96h Oncorthyncus mykiss OECD 203
EC50 - for Crustacea	> 1000 mg/l/48h Daphnia magna
ZINC POWDER - ZINC DUST	
LC50 - for Fish	0,1 mg/l/96h Nothobranchius guentheri
EC50 - for Crustacea	0,8 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0,015 mg/l/72h Pseudokirchneriella subcapitata

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 12/16

Replaced revision:5 (Dated: 30/01/2023)

Chronic NOEC for Fish	0,44 mg/l 72d
COPPER	
Chronic NOEC for Fish	0,011 mg/l Oncorhynchus mykiss
Chronic NOEC for Crustacea	0,188 mg/l Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0,043 mg/l Pseudokirchernella subcapitata
12.2. Persistence and degradability	
HYDROCARBONS, C10-C13, n-alkanes, isoalkanes, CYCLIC, <2% AROMATIC Rapidly degradable ZINC POWDER - ZINC DUST	
Solubility in water	0,1 - 100 mg/l
Degradability: information not available	
COPPER	
Solubility in water	< 0,1 mg/l
Degradability: information not available	
12.3. Bioaccumulative potential	
Information not available	
12.4. Mobility in soil	
Information not available	

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 13/16

Replaced revision:5 (Dated: 30/01/2023)

SECTION 14. Transport information

Not dangerous for the transport. Supplier declares that, after specific flammability test calssification as Flammable solid cat.1, H228, Class 4.1 is not necessary. A copy of this statement is kept in our archives.

14.1. UN number or ID number

 ADR / RID, IMDG, IATA:
 3077

 ADR / RID:
 In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not

	submitted to ADR provisions.
IMDG:	In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or
	5L, is not submitted to IMDG Code provisions.
IATA:	In accordance with SP A197, this product, when is packed in receptacles of a capacity \leq 5Kg or 5L, is not submitted to
	IATA dangerous goods regulations.

14.2. UN proper shipping name

ADR / RID:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
IATA:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

ADR / RID:	Class: 9	Label: 9	
IMDG:	Class: 9	Label: 9	, M
IATA:	Class: 9	Label: 9	, m,
			9

14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID:	Environmentally Hazardous	
IMDG:	Marine Pollutant	
IATA:	Environmentally Hazardous	

14.6. Special precautions for user

ADR / RID:

HIN - Kemler: 90

Limited Quantities: 5 kg Tunnel restriction code: (-)

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 14/16

				Replaced revision:5 (Dated: 30/01/2023)
	Special	provision: -		
IMDG:	EMS: F-		Limited Quantities: 5	
IATA:	Cargo:		kg Maximum quantity: 400	Packaging instructions:
	Pass.:		Kg Maximum quantity: 400	956 Packaging instructions:
	Special p	provision:	Kg A97, A158, A179, A197, A215	956
14.7. Maritime transport in bull	c according to IMO i	instruments		
Information not relevant				
SECTION 15. Regulat	ory informatio	n		
15.1. Safety, health and envir	onmental regulation	ns/legislation specific for the substance or	mixture	
Seveso Category - Directive 201	2/18/EU: E1			
Restrictions relating to the produ	ct or contained subst	ances pursuant to Annex XVII to EC Regulation	n 1907/2006	
<u>Product</u> Point	3			
Contained substance				
Point	75	ZINC POWDER - ZINC DUST REACH Reg.: 01-2119467174-37		
Point	75	COPPER REACH Reg.: 01- 2119480154-42		
Regulation (EU) 2019/1148 - on 1	the marketing and us	e of explosives precursors		
not applicable				
Substances in Candidate List (Ar	t. 59 REACH)			
On the basis of available data, th	e product does not c	ontain any SVHC in percentage \geq than 0,1%.		
Substances subject to authorisat	ion (Annex XIV REA	<u>CH)</u>		
None				
Substances subject to exportatio	n reporting pursuant	to Regulation (EU) 649/2012:		
None				
Substances subject to the Rotter	dam Convention:			

PASTA METALLIZZATA: PASTA 75,

Revision nr. 6

Dated 29/05/2024

Printed on 30/05/2024 Page n. 15/16

Replaced revision:5 (Dated: 30/01/2023)

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Eye Irrit. 2	Eye irritation, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration

PASTA METALLIZZATA: PASTA 75.

Revision nr. 6

Dated 29/05/2024 Printed on 30/05/2024

Page n. 16/16

Replaced revision:5 (Dated: 30/01/2023)

- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
 WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

- 20. Delegated Regulation (UE) 2020/1102 (XV Atp. CLP) 21. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

For information on any exposure scenarios of the substances present in the mixture, contact Sericom Italia srl.

Changes to previous review: The following sections were modified: 03 / 09 / 15.